
GERBER SPORTSMEN'S KNIVES

A Portfolio Of Outdoor Legends



Gerber Folding Knives. On top: the Magnum Folding Hunter. Below, left to right: Folding Sportsman IId Stag, Folding Sportsman III, Folding Sportsman I. Also shown: top grain molded leather belt scabbard.

Legendary Craftsmanship

GERBER FOLDING KNIVES

Folding Knives For Sportsmen: Six elegant workhorses: four Folding Sportsman knives, the Classic and the Magnum Folding Hunter. Handles of rare style and substance: solid, polished brass, with the warmth of tropical hardwood inlays. Blades are 440-C surgical stainless steel(Rockwell C57-59), ground to an incomparable sharpness by hand. Each blade locks open with authority.

Stag Folding Hunters: Once again, blades are surgical quality 440-C stainless steel. Handles are crafted from solid brass, with a distinctive extra touch: rare natural Sambar staghorn from India, which provides a non-slip surface and makes every knife an original.

Scabbards: All Gerber scabbards are top grain leather, handcrafted in our own leather shop.

Folding Sportsmen's Knives

The Classic: Single 2%" drop-point blade. Length open, 6\%", closed, 3\\2". Blade thickness, .100". Scabbard optional.



Folding Sportsman I: Single, 2%" drop-point blade. Length open, 6%", closed 3\%". Blade thickness, .100". Scabbard optional.



Folding Sportsman II: Single, $3\frac{1}{2}$ " trailing point blade. Length open, 8", closed, $4\frac{1}{2}$ ". Blade thickness, .100". Scabbard optional.



Folding Sportsman IId: Same as Folding Sportsman II but with a drop-point blade.



Folding Sportsman III: Single, 4" trailing point blade. Length open, 9¼", closed, 5". Blade thickness, .125". Includes a leather belt scabbard.



Magnum Folding Hunter: Single 34" drop-point blade. Length open, 74", closed, 4½". Blade thickness, .125". Leather scabbard included.



Stag Folding Hunters

Folding Sportsman I Stag: Single, 25%" drop-point blade. Length open, 61%", closed 31/2". Blade thickness, .100". Leather scabbard included.




Folding Sportsman II Stag: Single, 3½" trailing point blade. Length open, 8", closed 4½". Blade thickness, .100". Also available with a drop-point blade, FS IId Stag. Leather scabbard included.





Scabbard for the Folding Sportsman Knives: Carefully heat-molded for good looks and shape retention. Each hand-sewn with bonded nylon thread for maximum life. Edges finished and sealed by hand for smoothness and durability. Top grain leather. Rich brown tones.



Folding Knives Display Case: Holds 6 brass folding knives, 5" sharpening steel and leather scabbard. Dimensions: 14¼" wide, 20" high, 2" deep. Available in a glass-covered, above-the-counter model, or an open, undercounter model. Displays consist of a vacuum-molded panel inside a handsome frame with the look of walnut.


Joseph R. (Pete) Gerber, Jr., President

How We Build Our Legends.

"We have yet to find a short-cut in the pursuit of genuine excellence. And so, to our comptroller's occasional dismay, we continue making liberal use of an old-fashioned but highly effective device: the human hand.

From first casting through final inspection, Gerber craftsmen employ a kind of fanatical zeal, turning out knives that are as close to custom-made as a production knife can hope to be.

We hope you'll find our patient approach to be a refreshing change of pace in a world that, all too often, has forsaken quality for the sake of quantity."



The Gerber LST's.

Top to bottom: the Classic with Maroon handle; the Classic with Ivory handle; the Folding Sportsman I, also with Ivory handle.



3 elegant variations on the Paul Knife.

Top to bottom: the 2PM, Micarta handle; the 2PW, hardwood handle; the 2P, stainless steel handle. Also shown: top grain leather belt scabbard.

1½ Ounces Of Pure Legend

THE LST FOLDING KNIFE

"LST" stands for Light, Smooth and Tough. The design incorporates the best features of our popular Folding Sportsman I and Classic knives with these added benefits: <u>Light</u>, because the entire knife weighs 1½ ounces. <u>Smooth</u>, thanks to oil-impregnated brass bushings that allow the blade to rotate easily. <u>Tough</u>, because of durable Micarta side plates and 440-C surgical stainless steel blades, hardened to a Rockwell rating of 57-59C. Small enough to be a pocket knife, rugged enough to be a valuable companion on backpacking trips. Great for hunting, camping, boating and all outdoor activities.

LST Classic with Maroon Handle: 2%" drop point blade. Length open, 6%"; closed, 3%". Blade thickness, .100". Handy lanyard hole.



LST Folding Sportsman I with Maroon Handle: 25%" drop-point blade. Length open, 64%", closed, 346". Blade thickness, .100".



 $LST\,Classic\,With\,Ivory\,Handle:\,2\%''\,drop\,point\,blade.\,\,Length\,open,\,6\%'';\,closed,\,3\%''.\,\,Blade\,thickness,\,.100''.\,\,Handy\,lanyard\,hole.\,\,$



LST Folding Sportsman I with Ivory Handle: 2%" drop-point blade. Length open, 6%", closed, 3½". Blade thickness, .100".





The LST Display: Each LST fits snugly into a vacuum-molded panel. Dimensions: 10¾" wide, 11¾" high. For use above or below counter.

A Legend In Precision

THE PAUL KNIFE

It's unlike anything you've ever seen or handled. A folding knife built like a fine watch, with precision well beyond that of conventional knifemaking. Designed by aerospace engineer Paul Poehlmann. Components are high carbon, hardened stainless steel, the kind used in building aircraft. Our patented axial locking mechanism lets you open and close the knife without ever touching the blade.

Model 2P Stainless Steel: 2½" drop-point blade. Brushed stainless steel handle. Length open, 6"; closed, 3½". Blade thickness, .115".



Deluxe Model 2PW: 2½" drop-point blade. Inlays of rare hardwood. Length open, 6"; closed, 3½". Blade thickness, .115".



Deluxe Model 2PM: 2½" drop-point blade. Micarta inlays. Length open, 6"; closed, 3½". Blade thickness. .115".



Scabbard for the Paul Knife is available as an optional accessory. (Suede leather pouch is included with each Paul Knife)



Opening The Paul Knife



Step 1: While holding the handle, press the button firmly with your thumb and forefinger, and rotate the blade outward.

Step 2: Continue rotating the blade clockwise and



Step 3; Release the button and the blade locks into place with a solid, satisfying click.



The Silver Knights.

Upper left: 250B, Mother-of-Pearl handle. Lower left: 200A, handle of unique Abalone shell. Right, top to bottom: 250B, wood handle; 250A, handle of checkered ABS; 200SS, handle of stainless steel.

Pocket-Sized Legends

THE SILVER KNIGHT

These knives are compact enough to fit in your pocket, tough enough for the outdoors, and handsome enough for the executive suite. Blades: a unique surgical stainless steel, heat treated to achieve a Rockwell hardness of C58-60. Cases are of satin-finished stainless steel, with handle inlays of tropical hardwood, Australian Mother-of-Pearl, green checkered ABS (a rugged synthetic), and natural Abalone shell.

Our Newest Models

200A Abalone: Single 2" drop-point blade, with positive lock. Length open, 4¼"; closed, 2½". Blade thickness, .073". Distinctively crafted of natural Abalone shell with no two handles exactly the same.



200SS: Single 2" drop-point blade. Length open, 4¼"; closed, 2½". Blade thickness, .073". Handy lanyard hole. All stainless steel. Brushed finish sideplates are ideal for engraving or etching of names, logos, etc.



250SS: Single 2½" drop-point blade. Length open, 4¼"; closed, 2½". Blade thickness, .095". Handy lanyard hole. All stainless steel. Brushed finish sideplates are ideal for engraving or etching of names, logos, etc.



250A Checkered: Single 2½" drop-point blade with positive lock, green checkered ABS inlays and GLB insignia. Length open, 5½"; closed, 3¼". Blade thickness, 095"



 $300A\ Checkered$: Single 3" drop-point blade with positive lock, green checkered ABS inlays and GLB insignia. Length open, 64"; closed, 34". Blade thickness, .095".



 $300A\ Wood:$ Single 3" drop-point blade with positive lock, tropical hardwood handle inlays. Length open, 64"; closed, 34". Blade thickness, .095".



200A Wood: Single 2" drop-point blade with positive lock, tropical hardwood handle inlays. Length open, $4\frac{1}{2}$ "; closed, $2\frac{1}{2}$ ". Blade thickness, .073".



200A Pearl: Single 2" drop-point blade with positive lock, Australian Mother-of-Pearl handle inlays. Length open, 44"; closed, 2½". Blade thickness, 073".



250A Wood: Single $21\!\!4''$ drop-point blade with positive lock, tropical hardwood handle inlays. Length open, $51\!\!4''$; closed, $31\!\!4''$. Blade thickness, .095''.



250A Pearl: Single 2½" drop-point blade with positive lock, Australian Mother-of-Pearl handle inlays. Length open, 5½"; closed, 3¼". Blade thickness, .095".



250B~Wood: Two blades. $2\frac{1}{2}$ drop-point and $1\frac{1}{2}$ sheep's foot blades. Tropical hardwood handle inlays. Length (with only the longer blade open), $5\frac{1}{2}$; closed, $3\frac{1}{4}$ ". Blade thicknesses, .095" and .060".




250B Pearl: Two blades. $21\!\!\!/2''$ drop-point and $11\!\!\!/2''$ sheep's foot blades. Australian Mother-of-Pearl handle inlays. Length (with only the longer blade open), $51\!\!\!/2''$; closed, $31\!\!\!/4''$. Blade thicknesses, .095'' and .060''.





The Silver Knight Display Case: A distinctive molded counter display that holds all 12 Silver Knights. Dimensions: 19½" wide, 20" high, 2¼" deep.



Our fixed blade legends.

Left to right: Custom Stag, C425; Cushiongrip, 525CG; Presentation 400S.

Our Fixed Blade Legends

PRESENTATION, CUSHIONGRIP AND CUSTOM STAG KNIVES

The Presentation Series: These, we believe, are the finest outdoor knives that technology and the human hand can produce. Surgical 440-C stainless steel blades (Rockwell C57-59). Handles are hand-carved from solid, South American hardwood, for a comfortable, controlled grip.

Cushiongrip Knives: The same superb design as the Presentation series, but with resilient

handles of DuPont Hypalon. A grip you'll have to squeeze to believe.

Custom Stag Hunters: High speed tool steel blades, tough enough to cut other steels (Rockwell C60-62). Handles fitted with rare natural Sambar stag from India. Each beautifully unique.

Scabbards: A hand-crafted, custom-fitted leather scabbard is included with every

Presentation. Cushiongrip and Custom Stag knife.

Presentation Series

400S: 4" skinning blade. Overall length, 9". Blade thickness, .156".



425S: 41/4" hunting/camping blade. Overall length, 91/4". Blade thickness, .156".



450S: 41/2" fish and game blade. Overall length, 91/2". Blade thickness, .156".



475S: 4¾" big game blade. Overall length, 9¾". Blade thickness, .187".



525S: 54" heavy duty hunting blade. Overall length, 101/2". Blade thickness, .187".



Cushiongrip Knives

400CG: 4" skinning blade. Overall length, 9". Blade thickness, .156".



425CG: 41/4" hunting/camping blade. Overall length, 91/4". Blade thickness, .156".



450CG: 41/2" fish and game blade. Overall length, 91/2". Blade thickness, .156".



475CG: 434" big game blade. Overall length, 934". Blade thickness, .187".



525CG: 5¼" heavy duty hunting blade. Overall length, 10½". Blade thickness, .187".



Custom Stag Hunters

C300A: 3" drop-point blade. Overall length, 71/4". Blade thickness, .100".



C300B: 3" semi-drop-point blade. Overall length, 74". Blade thickness, .100".



C325: 3¼" drop-point blade. Overall length, 7¾". Blade thickness, .125".



C375: 34" semi-drop-point blade. Overall length, 814". Blade thickness, .125".



C425: 41/4" trailing point blade. Overall length, 83/4". Blade thickness, .125".



C475: 434" drop-point blade. Overall length, 914". Blade thickness, .125".




Sample Scabbard for the Fixed Blade Knives





Sample Display Case: There's one for the Custom Stag Hunters, the Presentation Series, the Cushiongrip knives and a combination model (shown). Display case dimensions: 19½" wide, 20" high, 2½" deep. Available in a glass-covered countertop model, or in an open, undercounter version.



Gerber Survival Knives. Left to right: Mark II, Command I and Guardian.

Legends You Can Believe In

GERBER SURVIVAL KNIVES

All Gerber Survival Knives are "hell for stout," with blades of 440-C surgical stainless steel. Every handle is high-tensile cast aluminum, electrostatically coated with a baked epoxy finish that wears like iron. You get a grip

that's virtually slip-proof.

The Guardian, Designed by R.W. Loveless: A 3½ ounce double-edged masterpiece by the world's foremost knife designer. The right heft and balance for a reassuring sense of control. Comfortable finger recesses on both the face and sides of the handle. Includes a top-grain leather scabbard with spring release, backed with a special metal boot/belt clip. The Guardian is designed especially for police and military under-cover operations.

Mark I and Mark II: Originated by Gerber. Copied but never equalled. Extra thick double-edged blades for superior strength and durability. The blade of the Mark II has serrated edges near the hilt for heavy cutting.

Command I and Command II: A design concept similar to the Mark I and Mark II, but with a contoured serration on the false edge of the blade, engineered for heavy cutting. On the non-sharpened back of the blade, a flat surface for pounding or hammering. Knives that stand up to the worst conditions on earth.

Survival Knives

The Guardian: 3%" blade. Overall length, 74". Blade thickness, .172". Weight, 3½ oz. Top-grain leather scabbard backed with a special boot/belt clip.





Mark I Survival Knife: 4¾" blade. Overall length, 9". Blade thickness, .250". Included: a leather belt/boot scabbard with quick-release thumb snap.



Mark II Survival Knife: 6%" blade. Overall length, 12". Blade thickness, .250". Included: leather scabbard with leg-tie thongs. Available with or without 5" Sportsman's Steel.



Command I Survival Knife: 4%" blade. Overall length, 9". Blade thickness, .250". Included: a leather belt/boot scabbard with quick-release thumb snap.



Command II Survival Knife: 63" blade. Overall length, 12". Blade thickness, .250". Included: leather scabbard with leg-tie thongs. Available with or without 5" Sportsman's Steel



Handcrafted Leather Scabbards; Mk I and Cm I.



Mark II and Command II are also available with 5" Sportsman's steel in special combination scabbards.

The Guardian Harness Package

The optional harness package includes a leather scabbard similar to the one that comes standard with the Guardian. Both scabbards have a spring-loaded locking device that keeps the knife securely in place until it's needed. But the scabbard that comes with the harness package has one important difference. Instead of a metal clip, there's a velcro type adhesive that allows you to attach the scabbard to other parts of the harness assembly. Here's how it all works together.



The shoulder harness: You simply attach the adhesive-backed scabbard to the leather platform and slip it onto the shoulder harness, a lightweight nylon strap that anchors the Guardian securely under your arm.



The leg harness: The elastic nylon straps are designed to fit snugly around your lower leg. Attach the special adhesive-backed scabbard and you can keep the Guardian accessible, yet covered by your pant leg.




The leather platform: The adhesive-backed scabbard attaches directly to the platform, a durable rectangle of leather that slips easily onto your belt. It gives you another comfortable but inconspicuous way to wear the Gerber Guardian.



The Survival Knife Display Case: Shows off all Gerber survival knives. Dimensions: 19½" wide, 20" high, 2¼" deep. Available in a glass-covered countertop model, or in an open, undercounter version.

As the manufacturer of survival knives, Gerber Legendary Blades does not assume responsibility for compliance with federal, state or local laws related to ownership or carrying of concealed weapons. Please check the applicable regulations in your area.



Armorhide Hunting And Fishing Knives.

Left to right: Pixie, Shorty, Coho and Trout & Bird, with genuine hand-crafted leather scabbards.



Gerber Sharpening Tools. Left: Field Sharpening Kit with whetstone, 5" sharpening steel in leather scabbard. Top: folding 5" sharpening steel with handle. Right: Folding 8" sharpening steel with handle.

Legends In Endurance

ARMORHIDE® HUNTING AND FISHING KNIVES

Armorhide[®] *Hunting Knives:* The blades are of exceedingly hard, M-2 high speed tool steel. Rockwell rating: C60-62 (hard enough to cut other steels). Solid aluminum handles are cast directly on notched tang and coated with textured, firm-gripping Armorhide[®], a ground, thermo-setting vinyl.

Armorhide® Fishing Knives: Blades made from 440 surgical stainless steel that resists stains and moisture, even salt water. Gerber's Armorhide® coating is fused onto the aluminum alloy handle for a decidedly unslippery grip. Handles cast directly on notched tang for a rivetless, permanent bond.

Armorhide Hunting Knives

A-325: 3% game and fish blade, ideal for cleaning smaller catches. Overall length, 7%. Blade thickness, .062". Scabbard included.



 $A\text{-}400\text{:}\ 4"$ drop-point blade, for all purpose hunting, fishing. Overall length, 81/2". Blade thickness, .088". Scabbard included.



 $A\text{-}425\text{:}\ 41$ utility skinning blade, perfect for camping and field dressing chores. Overall length, 8% . Blade thickness, .100". Scabbard included.



A-450: 41/2" general utility blade. Overall length, 9". Blade thickness, .080". Scabbard included



 $A\text{-}475\text{:}\ 4\%''$ drop-point blade, designed for large game. Overall length, 9%'' . Blade thickness, .100''. Scabbard included.



The Shorty: $4\frac{1}{2}$ " trailing point blade of high speed tool steel Overall length, $9\frac{1}{4}$ ". Blade thickness, .088". Scabbard included.



The Mini-Magnum: 4" trailing point blade of high speed tool steel. Overall length, 84". Blade thickness, .062". Scabbard included.



Combinations Available: Gerber has some really handy combination sets available. In one piggy-back scabbard you can have the following combinations: Shorty with a Pixie. Shorty with 5" Sportsman's Steel. Mini-Magnum with the Pixie. Mini-Magnum with 5" Sportsman's Steel.

Armorhide Fishing Knives

 $\label{eq:prop:prop:main} Pixie: 3" straight back blade of stainless steel for cleaning small game and fish. Overall length, 7". Blade thickness, .050". Scabbard included.$



Trout & Bird: 3¼" blade with stripping spoon handle and a special sharpened tip. Overall length, 8". Blade thickness, .050". Scabbard included.



Muskie: 6" blade ideal for boning and filleting all size fish. Overall length, 11¼". Blade thickness, .062". Scabbard included.



Coho: 6" blade with stripping spoon handle. Overall length, 11%". Blade thickness, .062". Scabbard included.



For the Armorhide® Hunting and Fishing Knives A hand-fitted leather belt scabbard, made in Gerber's own leather shop.



Display cases available for Armorhide hunting and fishing knives.

The Legendary Edge GERBER SHARPENING TOOLS

The Sportsman's Steel: Steel and chromium carbide fused into a tool so hard, it can sharpen virtually any cutting instrument. Special hardened chisel tip for prying. Sharpening Stone: Oil-impregnated, double-sided. One side coarse, the other side medium grit for final honing. Field Sharpening Kit: A complete sharpening set, with 5" Sportsman's Steel, whetstone and leather scabbard. Sharpening Oil: 4 fluid ounces of highly refined mineral oil.

5" Sportsman's Steel: with conventional belt scabbard and tie thong



Also available in an 8" version.

5" Sportsman's Steel, Steel folds out to 270°. Leather becomes handle. Tie thong.



Also available in an 8" size.



The Sportsmen's Knife Showcase.

A one-stop shopping center for knife buyers. Stores a big inventory in a small space. 20" deep by 29" wide at base, 55" in height. Knives fit snuggly into vacuum-formed plastic panels. A locking showcase that holds 6 panels. The retailer can choose from a wide selection of panels to suit his own market. Front door swings open for easy access to back-up stock. A handsome way to show and sell legends.

THE GERBER KNIFE SELECTOR

Each knife is handcrafted, so weight and dimensions may vary slightly.

FOLDING KNIVES	Order	Blade Steel	Blade Design	Blade Length/ Thickness	Lock	Knife Length Open/ Closed	Handle Thickness	Sheath	Net Weight	FIXED B	LADE KNIVES	Order	Blade Steel	Blade Design	Blade Length	Blade Thickness	Overall Length	Sheath	Weigh
CL	6001	440-C	DP	2%"/.100"	Yes	6%"/3%"	.350"	Opt.	3 oz.	A PARTY OF THE PAR	TATION KNIVES	5001	110.0	D.D.	.,,	1504	Ott	Var	
SI	6101	440-C	DP	25%"/.100"	Yes	614"/314"	.350"	Opt.	3 oz.	400S	CH.	5001	440-C	DP	4"	.156"	9"	Yes	6 oz.
	2 0.00									4255	THE STATE OF THE S	5006	440-C	TP	41/4"	.156"	9½"	Yes	6 oz.
SII	6201	440-C	TP	3½"/. 100"	Yes	8"/41/2"	.390*	Opt.	5 oz.	4508		5011	440-C	TP	4%"	.156"	91/2"	Yes	6 oz.
Sild	6301	440-C	DP	31/2"/. 100"	Yes	8"/4%"	.390"	Opt.	5 oz.			0	3/4/5/4/4	(178m	N/254	0.000	45.5		
SIII	6406	440-C	TP	4"7.125"	Yes	914"/5"	.510"	Yes	9 oz.	4758		5016	440-C	TP	4%"	.187"	9%"	Yes	6 oz.
	9			7						525S	TIT I	5021	440-C	TP	54"	.187"	10%"	Yes	6.5 0
IFH COM	6506	440-C	DP	31/4"/, 125"	Yes	714"/419"	.590"	Yes	8 oz.	cucuio	VCDID.							_	_
SI Stag	6116	440-C	DP	25/47, 100"	Yes	6%"/3½"	.350"	Yes	3 oz.	400CG	SORIF	5026	440-C	DP	4"	.156"	9"	Yes	6 oz.
SII Stag	6216	440-C	TP	31/2"/, 100"	Yes	8"/41/2"	.390"	Yes	5 oz.	425CG		5031	440-C	TP	4%"	.156"	91/2"	Yes	6 oz.
			1	200000000000000000000000000000000000000	1500			1000	1	12000	- What	0							
ST KNIVES	6010	440-C	DP	25444 1004	V	614"/315"	.350"	No	15	450CG		5036	440-C	TP	41/2"	.156"	91/2"	Yes	6.oz.
ST CL Maroon	6010	440-0	Dr	2%"/.100"	Yes	01W 7312	.350	No	1.5 02.	475CG	7.00	5041	440-C	TP	4%"	. 187"	9%"	Yes	6 oz.
SI Maroon	6110	440-C	DP	2%"/. 100"	Yes	614"/31/2"	.350"	No	1.5 oz.	525CG		5046	440-C	TP	51/4"	.187"	10%"	Yes	6.5 oz
ST CL	6006	440-C	DP	2%"/.100"	Yes	61/4"/31/2"	.350"	No	1.5 oz.	32300	W.	0	110.0		274				0.00
ια,	<u> </u>		5.0							The second second second	STAG HUNTERS	£101	III. Cad	DP	3"	.100*	7%"	Yes	3 oz.
vory .	⊃ 6106	440-C	DP	2%"/.100"	Yes	614"/31/2"	.350"	No	1.5 oz.	C300A		5101	Hi, Spd. Tool Steel	UI .	,	.100	1.665	ies	3 02.
AUL KNIVES			Week Control							C300B		5106	Hi. Spd. Tool	SDP	3"	.100"	7%"	Yes	3.50
P	8001	440-C	DP	21/2"/.115"	Yes	6"/31/2"	.215"	Opt.	2.5 oz.	C325	11 -	5111	Steel Hi. Spd. Tool	DP.	3¼"	.125"	7%"	Yes	5.50
DW	8006	440-C	DP	2½"7.115"	Yes	6"/31/2"	.450"	Opt.	3 oz.	C375		5116	Steel Hi. Spd.	SDP	34"	.125"	84"	Yes	6 oz.
68.			17.0						520,3003			9	Tool Steel	200000	980%	10000000	3150	95307	ON NAME
PM C	8011	440-C	DP	21/2"/.115"	Yes	6"/3V2"	.450"	Opt.	3 oz.	C425		5121	Hi. Spd. Tool Steel	TP	414"	.125"	84"	Yes	5.5 0
SILVER KNIGHT KNIVES								-		C475 <	- 11	5126	Hi. Spd. Tool	DP	4¾"	. 125"	914"	Yes	6 oz.
00A Abalone	7636	Surg'l. Stnls.	DP	2"/.073"	Yes	4¼"/2½"	.260"	No	1 02.	SURVIV	L KNIVES		Steel	_	-				144
00SS	7641	Surg'l.	DP	2"/, 073"	No	4¼"/2½"	.168"	No	1 oz.	Gdn	<=<	5801	440-C	Cmpd. Curve	3%"	.171"	71/4"	Yes	3 oz.
50SS		Stnls.	DP	014 84 0068	No	51/2"/31/4"	100#	No	1.5 oz.	MkI	-	5601	440-C	Etc. Cmpd.	4%"	.250"	9"	Yes	5.50
3033	7646	Surg'l. Stnls.	Di	21/2"/, 095"	,10	0.2 /0.4	.190″		1.502.	MkII		5701	440-C	Curve Etc. Cmpd.	64"	.250"	12"	Yes	8 oz.
50A Checkered	7651	Surg'l.	DP	21/2"/.095"	Yes	51/2"/31/4"	.322"	No	2 oz.	~		- 5.01		Curve Etc.					0 02.
100A Checkered	7657	Surg'l.	DP	3"/.095"	Yes	64734"	.352"	No	2.5 oz.	CmI	<	5651	440-C	Cmpd. Curve	4%"	.250"	9"	Yes	6 oz.
•	7701	Stnls.	5.6	201 0050	V	63/11/03/11	OF OU		0.5	Cmll	-	5751	440-C	Etc. Cmpd. Curve	6%"	.250"	12"	Yes	8.5 oz
OOA Wood	7701	Surg'l. Strils.	DP	3"/.095"	Yes	64"/34"	.352"	No	2.5 oz.	ARMOR	HDE	(A)		Etc.					
00A Wood	7602	Surg'l. Stnls.	DP	2"/, 073"	Yes	414"/21/2"	.260"	No	1 oz.	A325		5201	Hi. Spd. Tool	SB	314"	.062"	71/2"	Yes	2.50
00A Pearl	7607	Surg'l.	DP	2"/.073"	Yes	41/4"/21/2"	.260"	No	l oz.	A400		5206	Steel Hi. Spd.	DP	4"	.088"	81/2"	Yes	4 oz.
		Stnls.					222			1.00		7011	Tool Steel	CDD	10.0	1000	atu n	V	Can
50A Wood	7611	Surg'l. Stnls.	DP	21/2"7.095"	Yes	51/2"/31/4"	.310"	No	2 oz.	A425 <	7	5211	Hi. Spd. Tool Steel	SDP	494"	.100"	8%"	Yes	6 oz.
50A Pearl	7616	Surg'l. Stnls.	DP	21/2"7.095"	Yes	51/2"/31/4"	.310"	No	2 oz.	A450	1	5216	Hi. Spd. Tool	SB	4 1/2"	.080′	9"	Yes	4 oz.
50B Wood	7621	Surg'l.	DP/SF	21/2"-11/2"/	No	5%"/3%"	.315"	No	2 oz.	A475		5221	Hi. Spd. Tool	DP	4%"	.100"	9%"	Yes	6 oz.
		Stnls.	DROW	.095"060"		PI/PIPI				Sh _		5531	Steel Hi. Spd.	TP	4%"	.088"	94"	Yes	5 oz.
50B Pearl	7626	Surg'l. Stnls.	DP/SF	2½"-1½"/ .095"060"	No	51/2"/31/4"	.315"	No	2 oz.		_	Shelter!	Steel		192511	3000001	SANS	-	1/2/10/10
OP Drop Point	Point			- V						Mi		> 5546	Hi. Spd. Tool Steel	TP	4"	.062"	814"	Yes	3.50
DP Drop Point SDP Semi-Drop SB Straight Ba DP/SF Drop Point/	k									P		5516	440-C	SB	3"	.050"	7"	Yes	1.5 0
- Anna Carlotte										Tb	WH	5501	440-C	SB	314"	.050"	8"	Yes	1.50
n .					-		DI :						5,89	300.00	95			O. C. C.	- 4,
For more P.O. Box 23088	14200	ation,	conta	ct Gerber Avenue	Por	gendary tland	Blade	s,	23	Mu <		5511	440-C	SB	6"	.062"	11%"	Yes .	3.75
P.O. Box 23088	, 17200	Phone	e (503)	639-61	61.	varia, (Jiegon	012	20.	Co		5506	440-C	SB	6"	.062"	11%"	Yes	4.3 02
										-		No.							

